

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7643	(DELIMA ROBERTO).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:11
S2	0	(DELIMA adj ROBERTO).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:12
S3	13	(HUYNH adj LAP "T." ).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:12
S4	13	(HUYNH adj LAP).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:13
S5	0	(JOSEPH adj DINAKARAN "B.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:14
S6	0	(MAJIKES adj JOHN "J.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:15
S7	799	(MOORE adj ROBERT "E.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:22
S8	228281	(RAFALOW, LEE "M.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:22
S9	10	(RAFALOW adj LEE "M.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:23
S10	9123	((709/201) or (709/203) or (709/200) or (709/238) or (709/217) or (709/246) or (710/20) or (710/52) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:17
S11	0	("hash\$3near5(functionorvalueorta bleordataorinformation)").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:27
S12	8982	hash\$3 near5 (function or value or table or data or information)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:27
S13	3129	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:30



S14	2883	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (first same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:31
S15	2918	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ((first or initial) same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:32
S16	2854	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ((first or initial) same (value or data or information or table)) and ((second or another or new ) same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:33
S17	2581	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ((first or initial) with (value or data or information or table)) and ((second or another or new ) with (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:34
S18	2075	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) )	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:35

S19	703	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) )	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:39
S20	49	hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) )	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:41
S21	48	(hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:43

S22	27	(hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:44
S23	24	(hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:45
S24	24	(hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:46

S25	3	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and S10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:47
S26	0	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:50
S27	24	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) )	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:51

S28	3	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and (hypertext)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:51
S29	0	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and (hypertext)and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:51
S30	13	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 12:02

S31	3	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and server and S10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:53
S32	13	( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 12:04
S33	3	(( (hash\$3 near5 (function or value or table or data or information) and ( (receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ( ((first or initial) with (value or data or information or table)) same((second or another or new ) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service) ) ) ) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program) ) and server ) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 12:07

S35	9123	((709/201) or (709/203) or (709/200) or (709/238) or (709/217) or (709/246) or (710/20) or (710/52) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:18
S36	0	("receiv\$3near5request\$3").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:18
S37	99695	receiv\$3 near5 request\$3	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:19
S38	54	(receiv\$3 near5 request\$3)and (respon\$5 with (first or initial or one )with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:21
S39	11	(receiv\$3 near5 request\$3) same (respon\$5 with (first or initial or one )with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:23
S40	1	(receiv\$3 near5 request\$3) same (respon\$5 with (first or initial or one )with hash) and (receiv\$3 near5 request\$3) same (respon\$5 with (second or another or new )with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:27
S41	13	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one )with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new )with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:28
S42	4	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one )with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new )with hash) and header	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:28
S43	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one )with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new )with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29
S44	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one )with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29
S45	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one )with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29



S46	1	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one )with hash) and (header and cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:31
S47	0	(receiv\$3 near5 request\$3) and (respon\$5 with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S48	155	(header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S49	99743	(header same cookie) (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S50	107	(header same cookie)and (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:39
S51	0	(header same cookie same hash)and (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:33
S52	4	(header same cookie )and (receiv\$3 near5 request\$3 same hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:35
S53	0	(header same cookie )and (receiv\$3 near5 request\$3 same hash) and ((quality adj of adj service) or qos)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:34
S54	21	(header same cookie)and (receiv\$3 near5 request\$3) and hash	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:53
S56	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and hypertext) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:43
S57	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and (hypertext or http)) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/28 17:34
S58	3	(header same cookie)and (receiv\$3 near5 request\$3) and hash and ( (quality with service ) or qos)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:53
S59	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and (hypertext or http) ) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/28 17:34
S60	13	(header same cookie)and (receiv\$3 near5 request\$3) and hash and hypertext	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 11:30

S61	932154	(first or initial) with (value or data or information or table)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:15
S62	1687	(first or initial) with hash with (value or data or information or table)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:15
S63	742	((first or initial) with hash with (value or data or information or table) )same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:17
S64	215	((first or initial) with hash with (value or data or information or table) )same ((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:17
S65	191	((first or initial) with hash with (value or data or information or table) )same ((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:18
S66	162	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:18
S67	162	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:18
S68	10	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:20
S69	9	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:21

S70	9	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3 and hash and first and second)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:27
S71	0	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3 and hash and first and second and config)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:27
S72	9	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3 and hash and first and second and (configur\$5 or policy))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 21:33
S73	2	"6185598".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:41
S74	0	((first or initial) with hash with (value or data or information or table) )with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3 and hash and first and second and (configur\$5 or policy)) and (quality near3 service)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 21:33
S75	17543	(quality near3 service)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 21:34
S76	3	(quality near3 service)with hash	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 21:35
S77	0	(quality near3 service)with hash with cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 21:35

S78	0	(quality near3 service)with hash same cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 21:36
S79	3	(quality near3 service)with hash and cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 22:13
S80	0	(quality near3 service)with hash and cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 21:36
S81	0	(quality near3 service)with hash and cookie and config\$5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 22:14
S82	0	((quality near3 service)with hash and cookie )and config\$5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 22:14
S83	2	((quality near3 service)with hash )and config\$5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 22:14
S84	1	"6185598".pn. and cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:41
S85	1	"6185598".pn. and cookie and hash	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:43
S86	1	"6185598".pn. and (cookie sam hash)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:42
S87	0	"6185598".pn. and (cookie same hash)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:42
S88	0	"6185598".pn. and (cookie same hash)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:42
S89	240	cookie and hash	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:43
S90	27	cookie with hash	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:43
S91	4	cookie with hash with request	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:47
S92	27	cookie with hash	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 23:47
S93	4	cookie with (hash near5 value)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 00:35

S94	0	cookie with (hash near5 value near5 absence)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 00:34
S95	0	cookie with (no near3 hash near5 value)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 00:35
S96	0	cookie with (without near5 hash near5 value)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 00:35